

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	255	380/210.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:20
L2	101	380/210.ccls. and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:21
L3	1	380/210.ccls. and (("data hiding" or embed\$4) with ("authentication key" or key or data)) with image and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:23
L4	1	380/210.ccls. and (((("data hiding" or embed\$4) with ("authentication key" or key or data)) with image) and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:25
L5	104	"380"/\$.ccls. and (((("data hiding" or embed\$4) with ("authentication key" or key or data)) with image) and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:27
L8	8	"380"/\$.ccls. and (((("data hiding" or embed\$4) with ("authentication key" or "authentication information" or information or key or data)) with (image with divid\$3)) and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:35
L9	0	"380"/\$.ccls. and (((("data hiding" or embed\$4) with ("authentication key" or "authentication information" or information or key or data)) with (image with divid\$3)) and upsampl\$3 and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:36
L10	0	5 and upsampl\$3 and @ad <= "19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:36
S1	2	"6005936".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:50

S2	54	"upsampled image"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 13:51
S3	28	"upsampled image" and @ad <="19990615"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:18
S4	1	"6141441".pn. and modulat\$3 same bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:20